

Interference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2546	(form\$1 with process\$3) and (field\$1 with read\$3) and (overlay\$3 or populat\$3)	US-PGPUB	OR	OFF	2006/12/04 12:58
L2	9	(form\$1 with process\$3) same (field\$1 with read\$3) same (overlay\$3 or populat\$3)	US-PGPUB	OR	OFF	2006/12/04 12:58
L3	4	2 and @ad<="20020709"	US-PGPUB	OR	OFF	2006/12/04 12:59
L4	0	3 and ((URL\$1 or (universal adj resource adj locator\$1) or URI\$1) with (field\$1 or value\$1))	US-PGPUB	OR	OFF	2006/12/04 12:59

13 12/4/06

10/614,174

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields OR in All Fields AND in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2

Enter keywords, phrases, or a Boolean expression

[Help](#)

((populate <OR> fill) <SENTENCE> (form))
<SENTENCE> (image <OR> picture)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

Publications**Select publications**

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

Other Resources (Available for Purchase)

- ☒ IEEE Books

Select date range

- ☐ Search latest content update (04 Dec 2006)
- ☒ From year 1990 to 2001

Display Format

- ☒ Citation
- ☐ Citation & Abstract

Organize results

- Maximum
- Display results per page
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy & Security](#) |

© Copyright 2006 IEEE - All Rights Reserved

Indexed by
 Inspec



Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IEEE STD = IEEE Standard

1. **A generic system for form dropout**
Bin Yu; Jain, A.K.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 18, Issue 11, Nov. 1996 Page(s):1127 - 1134
IEEE JNL
2. **Document registration using projective geometry**
Safari, R.; Narasimhamurthi, N.; Shridhar, M.; Ahmadi, M.;
Image Processing, IEEE Transactions on
Volume 6, Issue 9, Sept. 1997 Page(s):1337 - 1341
IEEE JNL
3. **Design of an automated data entry system for hand-filled forms**
Lin Woan Ning; Yap Keem Siah; Khalid, M.; Yusof, M.;
TENCON 2000. Proceedings
Volume 1, 24-27 Sept. 2000 Page(s):162 - 166 vol.1
IEEE CNF
4. **A robust method for unknown forms analysis**
Li Xingyuan; Doermann, D.; Weon-Geun Oh; Wen Gao;
Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on
20-22 Sept. 1999 Page(s):531 - 534
IEEE CNF
5. **An SGML based viewer for form documents**
Atalay, V.; Arslan, E.;
Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on
20-22 Sept. 1999 Page(s):201 - 204
IEEE CNF
6. **High-contrast RF correlation imaging of defects in food package seals**
Qi Tian; Ozguler, A.; Morris, S.A.; O'Brien, W.D., Jr.;
Ultrasonics Symposium, 1999. Proceedings. 1999 IEEE
Volume 1, 17-20 Oct. 1999 Page(s):809 - 812 vol.1
IEEE CNF
7. **Pad printer**
Love, G.; Maher, G.; Lambrecht, R.A.;
Electronic Components and Technology Conference, 1997. Proceedings., 47th
18-21 May 1997 Page(s):972 - 978
IEEE CNF
8. **High contrast images of defects in food package seals**
Frazier, C.H.; Ozguler, A.; Morris, S.A.; O'Brien, W.D., Jr.;
Ultrasonics Symposium, 1997. Proceedings., 1997 IEEE
Volume 1, 5-8 Oct. 1997 Page(s):627 - 630 vol.1
IEEE CNF

9. **Matching form lines based on a heuristic search**
Bohnacker, U.; Schacht, J.; Yucel, T.;
Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on
Volume 1, 18-20 Aug. 1997 Page(s):86 - 90 vol.1
IEEE CNF
10. **Information acquisition and storage of forms in document processing**
Tang, Y.Y.; Jiming Liu;
Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on
Volume 1, 18-20 Aug. 1997 Page(s):170 - 174 vol.1
IEEE CNF
11. **Form registration: a computer vision approach**
Safari, R.; Narasimhamurthi, N.; Shridhar, M.; Ahmadi, M.;
Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on
Volume 2, 18-20 Aug. 1997 Page(s):758 - 761 vol.2
IEEE CNF
12. **A morphological subtraction scheme for form analysis**
Okada, M.; Shridhar, M.;
Pattern Recognition, 1996., Proceedings of the 13th International Conference on
Volume 3, 25-29 Aug. 1996 Page(s):190 - 194 vol.3
IEEE CNF
13. **SuperForms: a security-enhanced smart electronic form management system**
Dayao, A.B.; Rafieyan, K.; Lee, P.J.; Graveman, R.F.; Yacobi, Y.; Addeo, E.J.;
Global Telecommunications Conference, 1990, and Exhibition. 'Communications: Connecting the Future',
GLOBECOM '90., IEEE
2-5 Dec. 1990 Page(s):1079 - 1083 vol.2
IEEE CNF
14. **Anatomy of a hand-filled form reader**
Chhabra, A.K.;
Applications of Computer Vision, 1994., Proceedings of the Second IEEE Workshop on
5-7 Dec. 1994 Page(s):195 - 204
IEEE CNF
15. **Large area full fill factor microlens arrays**
McCormick, M.; Davies, N.; Cartwright, P.;
Microengineering Applications in Optoelectronics, IEE Colloquium on
27 Feb 1996 Page(s):10/1 - 10/3
IEE CNF

13 12/4/06

10/614,174



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

THE ACM DIGITAL LIBRARY

Advanced Search

[? Search](#)
[Tips](#)

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:must have **all** of the words or phrases

URL

must have **any** of the words or phrases

"filling forms" "populating forms"

must have **none** of the words or phrases**Name or Affiliation:**Authored by: ☒ all ☐ any ☐ noneEdited by: ☒ all ☐ any ☐ noneReviewed by: ☒ all ☐ any ☐ none**Only search in:***☐ Title ☐ Abstract ☐ Review ☒ All Information**SEARCH**

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ ExpandDOI: ☒ Exact ☐ Expand**SEARCH****Published:**By: ☒ all ☐ any ☐ noneIn: ☒ all ☐ any ☐ none

Since:

Month

Year

Before:

July

2002

Conference Proceeding:

Sponsored By:

Conference Location:

Conference Year:

yyyy

As: Any type of publication

SEARCH**Classification: (CCS)** ☐ Primary OnlyClassified as: ☒ all ☐ any ☐ none**Results must have accessible:**☐ Full Text ☐ Abstract ☐ ReviewSubject Descriptor: ☒ all ☐ any ☐ noneKeyword Assigned: ☒ all ☐ any ☐ none


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+URL "filling forms" "populating forms"



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before July 2002

Terms used URL filling forms populating forms

Found 5 of 131,695

Sort results by

relevance

[Save results to a Binder](#)[Try an Advanced Search](#)

Display results

expanded form

[Search Tips](#)Try this search in [The ACM Guide](#)☐ Open results in a new window

Results 1 - 5 of 5

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Information gathering in the World-Wide Web: the W3QL query language and the W3QS system](#)



David Konopnicki, Oded Shmueli

December 1998 **ACM Transactions on Database Systems (TODS)**, Volume 23 Issue 4

Publisher: ACM Press

Full text available: [pdf\(1.36 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The World Wide Web (WWW) is a fast growing global information resource. It contains an enormous amount of information and provides access to a variety of services. Since there is no central control and very few standards of information organization or service offering, searching for information and services is a widely recognized problem. To some degree this problem is solved by "search services," also known as "indexers," such as Lycos, AltaVista, Yahoo, and others. ...

Keywords: CGI, FORMS, HTML, HTTP, PERL, World-Wide Web, query language, query system

2 [A layered architecture for querying dynamic Web content](#)



Hasan Davulcu, Juliana Freire, Michael Kifer, I. V. Ramakrishnan

June 1999 **ACM SIGMOD Record , Proceedings of the 1999 ACM SIGMOD international conference on Management of data SIGMOD '99**, Volume 28 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.56 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The design of webbases, database systems for supporting Web-based applications, is currently an active area of research. In this paper, we propose a 3-year architecture for designing and implementing webbases for querying dynamic Web content(i.e., data that can only be extracted by filling out multiple forms). The lowest layer, virtual physical layer, provides navigation independence by shielding the user from the complexities associated wi ...

3 [An approach to integration of Web information source search and Web information retrieval](#)



Yuichi Lizuka, Mitsuaki Tsunakawa, Shin-ichiro Seo, Tetsuo Ikeda

March 2000 **Proceedings of the 2000 ACM symposium on Applied computing - Volume**

1

Publisher: ACM Press

Full text available:  [pdf\(807.66 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: WWW, heterogeneous information sources, information resource management, mediator, universal relation

4 JubilEasy: build a personalized 3D visit of Rome



Marco Schaerf, Alessandro Tessicini

February 1999 **Proceedings of the fourth symposium on Virtual reality modeling language**

Publisher: ACM Press

Full text available:  [pdf\(1.83 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: VRML, interactive visit, search algorithms, virtual environments, virtual worlds

5 Timed links solve the "stale URL" problem



David Scotts

December 1995 **ACM SIGWEB Newsletter**, Volume 4 Issue 3





Publisher: ACM Press

Full text available:  [pdf\(269.68 KB\)](#) Additional Information: [full citation](#), [index terms](#)

Results 1 - 5 of 5

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

13 12/4/06

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2546	(form\$1 with process\$3) and (field\$1 with read\$3) and (overlay\$3 or populat\$3)	US-PGPUB	OR	OFF	2006/12/04 13:00
L2	9	(form\$1 with process\$3) same (field\$1 with read\$3) same (overlay\$3 or populat\$3)	US-PGPUB	OR	OFF	2006/12/04 12:58
L3	4	2 and @ad<="20020709"	US-PGPUB	OR	OFF	2006/12/04 13:00
L4	0	3 and ((URL\$1 or (universal adj resource adj locator\$1) or URI\$1) with (field\$1 or value\$1))	US-PGPUB	OR	OFF	2006/12/04 13:00
L5	3920	(715/505,507,508,513,760).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 13:00
L6	7088	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 13:00
L7	6478	(707/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 13:00
L8	16240	5 6 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 13:00
L9	2982	8 and @ad<="20020709"	US-PGPUB	OR	OFF	2006/12/04 13:00
L10	43	9 and (form\$1 with process\$3) and (field\$1 with read\$3) and (overlay\$3 or populat\$3)	US-PGPUB	OR	OFF	2006/12/04 13:00
L11	9	10 and ((URL\$1 or (universal adj resource adj locator\$1) or URI\$1) with (field\$1 or value\$1))	US-PGPUB	OR	OFF	2006/12/04 13:00

EAST Search History

S1	94	("4897782" "4975830" "5247638" "5444829" "5479210" "5600770" "5893139" "5937191" "6286135" "6327598" "6085234" "5313612" "5835942" "6038659" "6122629" "5297265" "5307506" "5355453" "5542059" "5557763" "5574912" "5623700" "5659782" "5682527" "5754888" "5784630" "5802366" "5809543" "5809527" "5826021" "5832235" "5887183" "5931918" "5946690" "5944816" "5968160" "5987254" "5987593" "6047356" "6154828" "6167446" "6230254" "4598357" "4962451" "4982322" "5226169" "5235690" H001291 "5313613" "5329630").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 12:56
S2	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 13:46
S3	836644	form\$1 with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S4	161302	form\$1 adj5 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S5	276631	form\$1 near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S6	18256	S5 and (field\$1 and predetermin\$3 and overla\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:17
S7	1352	S5 and (field\$1 and predetermin\$3 and overla\$4 and server\$1 and client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:17

EAST Search History

S8	1004	S5 and (field\$1 and predetermin\$3 and overla\$4 and server\$1 and client\$1 and (web or html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:18
S9	619	S8 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:41
S10	2	S9 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:18
S11	2286	(715/513).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:19
S12	246	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S13	137	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S14	321	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S15	108	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S16	2904	S11 S12 S13 S14 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S17	8	S9 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25

EAST Search History

S18	659	S12 S13 S14 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25
S19	523	S18 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:37
S20	2	S9 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:26
S21	1140	S9 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:26
S22	137	S19 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:37
S23	29	S19 and ((fill\$3 or populat\$3) near5 templat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:19
S24	2	("6084585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:20
S25	2	("6507854").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:21
S26	2	("6212552").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:22
S27	2	("5030810").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:22

EAST Search History

S28	2	("5619708").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:23
S29	2	("5557723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:24
S30	2	("5544285").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:24
S31	2	("6141659").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:26
S32	2	("6418400").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:26
S33	2	"20050041266"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:27
S34	2	"20010050681"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:28
S35	4	"20030009250"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:28
S36	0	"200210065578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:29
S37	2	"20020065578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:31

EAST Search History

S38	2	("5765142").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:32
S39	2	("5056029").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:32
S40	223	(715/705).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:59
S41	161	S40 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S42	26	S41 and URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S43	19	S42 and (external\$2 or remot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:01
S44	9	S42 and ((external\$2 or remot\$3) same (file\$1 or content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:02
S45	0	S44 and (place adj hold\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:03
S46	3	S44 and (templat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:29
S47	2	("4636174").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:30

EAST Search History

S48	2	("4759717").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:33
S49	3	("4004354").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:33
S50	18	("4133034" "4247106" "4348744" "4365297").PN. OR ("4636174"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 11:33
S51	27	("4004354").URPN.	USPAT	OR	OFF	2005/10/24 11:34
S52	0	S51 and URL\$1	USPAT	OR	OFF	2005/10/24 12:31
S53	2	("6084585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:32
S54	164034	(field\$1 with form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
S55	288	(field\$1 with (web near form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
S56	46	(populat\$3 or fill\$3) with ((field\$1 with (web near form\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:35
S57	30	S56 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:02
S58	5	S57 and ((external\$2 or network\$3) near (data\$1 or file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:37

EAST Search History

S59	8	S57 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:41
S60	11	S57 and histor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:02
S61	237186	(populat\$3 or (fill\$3 adj in) or (fill\$3 adj out) or complet\$3) with (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:18
S62	2645	(populat\$3 or (fill\$3 adj in) or (fill\$3 adj out) or complet\$3) with ((web or html) near5 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:18
S63	82	((populat\$3 or (fill\$3 adj in) or (fill\$3 adj out) or complet\$3) with ((web or html) near5 form\$1)) with (url\$1 or external near5 (file\$1 or reference\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:26
S64	56	S63 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:26
S65	18	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$).did. or (US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5929849-\$ or US-6061694-\$ or US-6260039-\$ or US-6456303-\$ or US-6589290-\$ or US-6662340-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/11/01 08:01
S66	16	S65 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:03

EAST Search History

S67	10	S65 and templat\$3 and populat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:04
S68	8	S65 and templat\$3 and populat\$3 and (imag\$3 or photograph\$1 or photo\$1 or picture\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:20
S69	0	("2002/0103826").URPN.	USPAT	OR	OFF	2005/11/01 08:18
S70	50295	(complet\$3 or populat\$3) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:40
S71	219	(complet\$3 or populat\$3) near ((web or html) near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:22
S72	70	S71 and ((data\$1 or content\$1 or link\$3) near (file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:23
S73	78	S71 and ((data\$1 or content\$1 or link\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:28
S74	28	S71 and ((URL\$1 or link\$1 or hyperlink\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S75	87	S71 and ((data\$1 or content\$1 or link\$3 or configurat\$3 or profil\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S76	27	S75 and ((URL\$1 or link\$1 or hyperlink\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29

EAST Search History

S77	2840	S70 and ((data\$1 or content\$1 or link\$3 or configurat\$3 or profil\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:30
S78	87	S71 and ((data\$1 or content\$1 or link\$3 or configurat\$3 or profil\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:37
S79	60	S78 and ((fill\$3 near (in\$1 or out\$1)) or populat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:38
S80	14	(url\$1 or hyperlink\$3) near (complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S81	69	(url\$1 or hyperlink\$3) near5 (complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S82	41	(url\$1 or hyperlink\$3) near3 (complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S83	14	S80 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S84	45	S81 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:01
S85	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:59

EAST Search History

S86	57	("5416508" "5418576" "5438355" "5570295" "5572643" "5625781" "5640193" "5694163" "5708845" "5761606" "5774664").PN. OR ("5929849").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:01
S87	57	S86 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S88	50	S87 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:01
S89	1	S87 and ((complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S90	2	S87 and ((complet\$3 or populat\$3 or (fill\$3 near (in or out))) near5 (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S91	247	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S92	139	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S93	323	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S94	109	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04

EAST Search History

S95	497	S92 S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S96	412	S95 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S97	163	S96 and ((complet\$3 or populat\$3 or (fill\$3 near (in or out))) near5 (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S98	105151	(form\$1 same field\$1) and (overlay\$3 or fill\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S99	17390	(form\$1 same field\$1) same (overlay\$3 or fill\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S10 0	18659	(form\$1 same field\$1) same ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) url\$1 or uri\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S10 1	181	(form\$1 same field\$1) near ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) url\$1 or uri\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:38
S10 2	0	(form\$1 same field\$1) near ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) same (url\$1 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:38
S10 3	6	(form\$1 same field\$1) near5 ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) same (url\$1 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:44
S10 4	31043	(form\$1 or field\$1) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:45

EAST Search History

S10 5	180	(web near (form\$1 or field\$1)) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:47
S10 6	0	((web near (form\$1 or field\$1)) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) with (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 7	0	((web near (form\$1 or field\$1)) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 8	0	((web near (form\$1 or field\$1)) near5 (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 9	0	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:49
S11 0	0	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near5 (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:49
S11 1	81	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same ((file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S11 2	24	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) with ((file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S11 3	0	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) near ((file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S11 4	106680	form\$1 near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:03

EAST Search History

S11 5	831	(form\$1 near process\$3) near (device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:10
S11 6	75	S115 and (read\$3 near data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:05
S11 7	60	(form\$1 near field\$1) near (url\$1 or referenc\$3 or uri\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:13
S11 8	49	S117 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S11 9	73	(form\$1 near field\$1) near (url\$1 or referenc\$3 or uri\$1 or sql or quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S12 0	13	(form\$1 near field\$1) near (sql or quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S12 1	6	S120 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S12 2	844202	form\$1 with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S12 3	195794	form\$1 near2 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S12 4	1075	form\$1 near3 field\$1 near2 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59

EAST Search History

S12 5	912	form\$1 near3 field\$1 near2 (populat\$3 or fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:00
S12 6	118	web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:01
S12 7	38	(web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))) same (list\$1 or database\$1 or lexicon\$1 or file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:03
S12 8	23	((web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))) same (list\$1 or database\$1 or lexicon\$1 or file\$1)) and (record\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:06
S12 9	3	((web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))) same (list\$1 or database\$1 or lexicon\$1 or file\$1)) and (record\$1 near3 url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
S13 0	1517	(execut\$3 or retriev\$3 or request\$3 or fetch\$3) with (URL\$1) with (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:14
S13 1	720	(execut\$3 or retriev\$3 or request\$3 or fetch\$3) with ((URL\$1) near3 (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:16
S13 2	319	S131 and automat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:15
S13 3	0	((execut\$3 or retriev\$3 or request\$3 or fetch\$3) with ((URL\$1)) near3 (form\$1) same ((auto or automatic\$4) near5 (populat\$3 or fill\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:18
S13 4	2	((retriev\$3 or fetch\$3 or obtain\$3) with (content\$1)) near3 (url\$1 near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:55

EAST Search History

S13 5	19521	form\$1 with field\$1 with (content\$1 or imag\$3 or audio\$1 or video\$1 or picture\$1 or photograph\$1 or photo\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 6	2250	form\$1 with field\$1 with (content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 7	601	form\$1 near3 field\$1 near3 (content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 8	21	(form\$1 near3 field\$1 near3 (content\$1)) with (web or html or xml or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
S13 9	16	S138 and (URL\$1 or URI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
S14 0	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:06
S14 1	1727353	form\$1 same (process\$3 or fill\$3 or populat\$3 or pre-populat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:07
S14 2	299	(web near form\$1) near (process\$3 or fill\$3 or populat\$3 or pre-populat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:07
S14 3	234	S142 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:08
S14 4	175	S143 and (separat\$8 or external\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:09

EAST Search History

S14 5	29334	(html or web or xml or xhtml) near form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:31
S14 6	1983	S145 and (form\$1 near (process\$3 or analy\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:24
S14 7	14	S145 and ((form\$1 near field\$1) near (process\$3 or analy\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:32
S14 8	6	S147 and (URL\$1 or URI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:25
S14 9	444	S145 and ((detect\$3 or identify\$3 or recogniz\$3) near (URL\$1 or URI\$1 or (external near file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12
S15 0	0	S149 and ((form\$1 near field\$1) near (process\$3 or analy\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:33
S15 1	444	S145 and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:34
S15 2	294	S151 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S15 3	0	S152 and "form of html"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:39
S15 4	0	S152 and 'form of htm'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:39

EAST Search History

S15 5	0	S152 and "form of html"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 6	0	S152 and 'form of html'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 7	0	S152 and (form adj of adj html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 8	67	S152 and ((URL\$1 or URI\$1) near typ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12
S15 9	0	S152 and ((URL\$1 or URI\$1) near (content near typ\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12
S16 0	3	S145 and ((detect\$3 or identify\$3 or recogniz\$3 or determin\$3) with (URL\$1 or URI\$1 or (external near file\$1)) with (form\$1 adj field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:30
S16 1	6	S145 and ((detect\$3 or identify\$3 or recogniz\$3 or determin\$3) with ((form\$1 adj field\$1) with content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:21
S16 2	6	S161 and (url\$1 or uri\$1 or link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:28
S16 3	2	("6076734").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:29
S16 4	2	("5852434").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:29

EAST Search History

S16 5	2	("5692073").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:30
S16 6	15	((identify\$3 or recogniz\$3 or determin\$3) with ((form\$1 adj field\$1)) with content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:38
S16 7	53	S152 and (off adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S16 8	331	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S16 9	272	S168 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 0	112	S169 and (form\$1 near (field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:16
S17 1	4	S169 and (form\$1 near (field\$1 or input\$1) near file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 2	4	S171 not ("form of")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 3	4	S171 not ('form of')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 4	131	(form\$1 near (field\$1 or input\$1) near file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19

EAST Search History

S17 5	79	S174 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:36
S17 6	45	S175 and (imag\$3 or bitmap\$1 or photo\$1 or photograph\$1 or picture\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:34
S17 7	0	S175 and (URL\$1 near (imag\$3 or bitmap\$1 or photo\$1 or photograph\$1 or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:32
S17 8	273	(recogniz\$3 near URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:34
S17 9	0	(recogniz\$3 near URL\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 0	0	(identify\$3 near URL\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 1	0	(URL\$1 near content\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 2	109	(URL\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 3	71	(URL\$1) with (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:36
S18 4	34	S183 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21

EAST Search History

S18 5	1	(filename\$1 or (file adj name\$1)) near (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:18
S18 6	1	(filename\$1 or (file adj name\$1)) near3 (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:18
S18 7	8	(filename\$1 or (file adj name\$1)) with (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:19
S18 8	182	(filename\$1 or (file adj name\$1) or reference\$1) with (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:19
S18 9	18	(filename\$1 or (file adj name\$1) or reference\$1) near (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21
S19 0	234	(form\$1 adj field\$1) near (process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21
S19 1	197	S190 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S19 2	1	("6185583").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:28
S19 3	17	("3974496" "5546574" "5704029" "5758126" "5920857").PN. OR ("6185583").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 4	37872	(form or data or input\$1) near (check\$3 or validat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 5	34	(web or html) near (form or data or input\$1) near (check\$3 or validat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31

EAST Search History

S19 6	15	S195 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S19 7	8	S196 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:33
S19 8	596	form\$1 near validat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:33
S19 9	30	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$ or US-20020156846-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20040078756-\$ or US-20040205357-\$ or US-20050183003-\$ or US-20050216356-\$).did. or (US-5761683-\$ or US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5929849-\$ or US-6061694-\$ or US-6247029-\$ or US-6260039-\$ or US-6456303-\$ or US-6473892-\$ or US-6490601-\$ or US-6589290-\$ or US-6651217-\$ or US-6662340-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/12/06 13:10
S20 0	5	S199 and (data adj items)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:11
S20 1	0	S199 and ((data adj items) same (graphic\$1 or audio\$1 or video\$1 or multimedia\$1 or multi-media\$1 or (multi adj media\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:11
S20 2	14	S199 and ((data\$1 or file\$1) same (graphic\$1 or audio\$1 or video\$1 or multimedia\$1 or multi-media\$1 or (multi adj media\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:12

EAST Search History

S20 3	1	S199 and (((data\$1 or file\$1) near link\$3) same (graphic\$1 or audio\$1 or video\$1 or multimedia\$1 or multi-media\$1 or (multi adj media\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:13
S20 4	41046	(link\$3 or hyper-link\$3 or hyperlink\$3 or (hyper adj link\$3) or hotlink\$3 or hot-link\$3 or (hot adj link\$3)) near (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:14
S20 5	6	S199 and ((link\$3 or hyper-link\$3 or hyperlink\$3 or (hyper adj link\$3) or hotlink\$3 or hot-link\$3 or (hot adj link\$3)) near (form\$1 or field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:18
S20 6	1733	((file adj name\$1) or (path adj name\$1)) near (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:20
S20 7	5	((file adj name\$1) or (path adj name\$1)) near ((html or web) near (form\$1 or field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:38
S20 8	10838	(form\$1 or field\$1) near (file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:38
S20 9	308	((web or html) near (form\$1 or (form\$1 near field\$1))) near (file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:43
S21 0	101	S209 and (populat\$3 or fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:43
S21 1	6	S209 and (pre near (populat\$3 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:45
S21 2	25797	(url\$1 or uri\$1 or (file adj name\$1) or filename\$1 or file-name\$1 or path\$1 or pathname\$1 or (path adj name\$1)) near (field\$1 or input\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47

EAST Search History

S21 3	2256	(url\$1 or uri\$1) near (field\$1 or input\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 4	2122	(url\$1) near (field\$1 or input\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 5	848	(url\$1) near (field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:48
S21 6	10	(url\$1) near (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 7	0	(filename\$1 or (file near path\$1)) near (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 8	0	(filename\$1 or (file near path\$1) or (path near name\$1)) near (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 9	24	(url\$1) near (form\$1 near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:57
S22 0	1	(bookmark\$1) near (form\$1 near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:58
S22 1	695	(bookmark\$1 near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:58
S22 2	35	(bookmark\$1 near (file\$1 or list\$1)) near5 (request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:59

EAST Search History

S22 3	3	((bookmark\$1 near (file\$1 or list\$1)) near\$5 (request\$3)) same (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:02
S22 4	57	(overlay\$3 same (form\$1 near field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:07
S22 5	3813	(personal\$4 near (database\$1 or profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:07
S22 6	477	(personal\$4 near (database\$1 or profile\$1)) same (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S22 7	0	(personal\$4 near (database\$1 or profile\$1)) same (form\$1) same ((auto or automatically) near fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:08
S22 8	27	(personal\$4 near (database\$1 or profile\$1)) same (form\$1) and ((auto or automatically) near fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:17
S22 9	23	S228 and (photo\$1 or photograph\$1 or imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:20
S23 0	20	(process\$3 near url\$1 near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:24
S23 1	0	(process\$3 near url\$1 near form\$1) same (audio\$1 or video\$1 or pdf or postscript or gif or jpg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S23 2	15	(process\$3 near url\$1 near form\$1) and (audio\$1 or video\$1 or pdf or postscript or gif or jpg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25

EAST Search History

S23 3	479	(personal\$5 near (database\$1 or profile\$1)) same (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S23 4	5	(personal\$5 near (database\$1 or profile\$1)) same (form\$1 near input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:31
S23 5	1783	(personaliz\$3 near5 (card\$1 or id\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S23 6	1441	(personaliz\$3 near3 (card\$1 or id\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S23 7	70	(personaliz\$3 near3 (card\$1 or id\$1)) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S23 8	12	(personaliz\$3 near3 (card\$1 or id\$1)) same web same photo\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:35
S23 9	204536	(form\$1 with link\$3 or hyperlink\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S24 0	195060	(form\$1 with (link\$3 or hyperlink\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S24 1	920	(form\$1 with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:37
S24 2	16	((web or html) near form\$1) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:38

EAST Search History

S24 3	0	((web or html) near field\$1) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:38
S24 4	0	((web or html) near input\$4) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:39
S24 5	21	((web or html) near5 form\$1) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:07
S24 6	736	((web or html) near5 (form\$1 near3 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:08
S24 7	16	((web or html) near5 (form\$1 near3 field\$1)) near5 (content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:25
S24 8	9	((web or html) near5 (form\$1 near3 field\$1)) near5 (imag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S24 9	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (photo\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S25 0	1	((web or html) near5 (form\$1 near3 field\$1)) near5 (pdf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S25 1	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (gif)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 2	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (jpg or jpeg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29

EAST Search History

S25 3	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (ps)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 4	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 5	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 6	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (clip\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 7	21	((web or html) near5 (form\$1 near3 field\$1)) with (imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:30
S25 8	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:05
S25 9	1	S258 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:07
S26 0	3	overlay\$3 near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:09
S26 1	34	(populat\$3) near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:13
S26 2	59	(populat\$3) near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near3 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:15

EAST Search History

S26 3	40	S262 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:02
S26 4	57063	((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near3 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:15
S26 5	820	S264 and (url\$1 near5 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:16
S26 6	7	S264 and (url\$1 near5 field\$1 near list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:18
S26 7	2133	S264 and (url\$1 near3 (list\$3 or fil\$3 or bookmark\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:18
S26 8	629	S267 and ((recogniz\$3 or detect\$3 or identify\$3) near5 (url\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:20
S26 9	55	S267 and (((recogniz\$3 or detect\$3 or identify\$3) near5 (url\$1)) with (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:32
S27 0	495	S267 and (remote\$2 near3 access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:33
S27 1	79	S267 and ((remote\$2 near3 access\$3) near5 (list\$1 or file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:46
S27 2	0	sibersystems.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:48

EAST Search History

S27 3	1592	(determin\$3 or deduc\$3) near3 (field\$1 near3 typ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:48
S27 4	20	(determin\$3 or deduc\$3) near3 (form\$1 near3 field\$1 near3 typ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 5	2754	(file\$1 or url\$1) near upload\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 6	77	(url\$1) near upload\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 7	12	S276 and (form\$1 near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:01
S27 8	112	url\$1 near3 (form\$1 near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:01
S27 9	72	S278 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26

EAST Search History

S28 0	31	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$ or US-20020156846-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20040078756-\$ or US-20040205357-\$ or US-20050183003-\$ or US-20050216356-\$).did. or (US-5761683-\$ or US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5929849-\$ or US-6061694-\$ or US-6247029-\$ or US-6260039-\$ or US-6456303-\$ or US-6473892-\$ or US-6490601-\$ or US-6589290-\$ or US-6651217-\$ or US-6662340-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$ or US-6658662-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/07 09:20
S28 1	4	S280 and (form\$1 with field\$1 with url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:24
S28 2	1	S280 and (form\$1 with field\$1 with value\$1 with url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26
S28 3	58	(form\$1 with field\$1 with value\$1 with url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26
S28 4	41	S283 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52

EAST Search History

S28 5	32	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$ or US-20020156846-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20040078756-\$ or US-20040205357-\$ or US-20050183003-\$ or US-20050216356-\$ or US-20020120714-\$).did. or (US-5761683-\$ or US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5929849-\$ or US-6061694-\$ or US-6247029-\$ or US-6260039-\$ or US-6456303-\$ or US-6473892-\$ or US-6490601-\$ or US-6589290-\$ or US-6651217-\$ or US-6662340-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$ or US-6658662-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/07 09:38
S28 6	20	S285 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:38
S28 7	7	S285 and layout\$1 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:38
S28 8	6	S285 and document\$1 and layout\$1 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:51
S28 9	2961	field\$1 near3 data\$1 near3 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:51
S29 0	0	form\$1 near 3field\$1 near3 data\$1 near3 (file\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52

EAST Search History

S29 1	120	form\$1 near3 field\$1 near3 data\$1 near3 (file\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:53
S29 2	79	S291 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52
S29 3	8	form\$1 near3 field\$1 near3 url\$1 near3 (file\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:00
S29 4	2	form\$1 near3 field\$1 near3 url\$1 near3 (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:01
S29 5	3	form\$1 near5 field\$1 near5 url\$1 near5 (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:03
S29 6	4	(form\$1 near5 field\$1) with url\$1 with (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:04
S29 7	6	(form\$1 with field\$1) with url\$1 with (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:06
S29 8	6	(form\$1 with field\$1) with url\$1 with (file\$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:07
S29 9	34	(form\$1 with field\$1) same url\$1 same (file\$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:07
S30 0	23	(form\$1 near3 field\$1) same url\$1 same (file\$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:15

EAST Search History

S30 1	2573	input with (form\$1 near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:16
S30 2	21	input with (form\$1 near3 field\$1) with url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:21
S30 3	3	overlay\$3 with (form\$1 near3 field\$1) with url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:22
S30 4	24	overlay\$3 with (form\$1 near3 field\$1) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:39
S30 5	280743	form\$1 near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S30 6	196677	form\$1 near2 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S30 7	1174	S306 and ((overrid\$3 or swap\$4 or exchang\$3 or replac\$3) near3 content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:41
S30 8	112	S307 and profil\$3 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:42
S30 9	111	S307 and profil\$3 and templat\$3 and (remote or online or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:43
S31 0	111	S309 and (placeholder\$3 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:43

EAST Search History

S31 1	13	S309 and (placeholder\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:44
S31 2	122	((web or html) near3 edit\$3) same (online or on-line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S31 3	30	S312 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S31 4	12	S313 and resume\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S31 5	9	S313 and resume\$1 and URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S31 6	2	S313 and resume\$1 and multimedia\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S31 7	20	S312 and resume\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:51
S31 8	12	S312 and resume\$1 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:52
S31 9	12092	(profil\$3 or templat\$3 or model\$1) and (custom\$5) and (pars\$3) and (document\$1 or page\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:54
S32 0	8252	S319 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:54

EAST Search History

S32 1	6	S319 and dynamic\$4 and xmlc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:55
S32 2	9	xmlc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:56
S32 3	3323	templat\$3 and profile\$1 and layout\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:56
S32 4	289	templat\$3 and profile\$1 and layout\$1 and (stylesheet\$3 or (style adj sheet\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:58
S32 5	282	templat\$3 and profile\$1 and layout\$1 and (stylesheet\$3 or (style adj sheet\$3)) and (field\$1 or placeholder\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:03
S32 6	3437	tag\$4 near defin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:04
S32 7	2	("6727925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:05
S32 8	1	S327 and (table\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07
S32 9	0	S327 and (table\$1 or list\$1) and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07
S33 0	0	S327 and (table\$1 or list\$1) and ftp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07

EAST Search History

S33 1	1	S327 and (table\$1 or list\$1) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 2	1326	dhtml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 3	254	dhtml same form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 4	13	dhtml same form\$1 same (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 5	180006	form\$1 same (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 6	97744	form\$1 with (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 7	444	((web or html) near form\$1) with (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:16
S33 8	444	S337 and 2ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:16
S33 9	317	S337 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:30
S34 0	22016	(form\$1 with field\$1 with (value\$1 or input\$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:28

EAST Search History

S34 1	11787	((form\$1 near5 field\$1) with (value\$1 or input\$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:28
S34 2	1147	((form\$1 near5 field\$1) with ((value\$1 or input\$1 or data) with (list\$1 or file\$1 or table\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:29
S34 3	66	(((((web or html) near5 form\$1) near5 field\$1) with ((value\$1 or input\$1 or data) with (list\$1 or file\$1 or table\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:29
S34 4	40	S343 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:30
S34 5	11	("4595980" "5666502" "5794259" "6088700" "6182099" "6192380" "6208339" "6421693").PN. OR ("6651217").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/07 12:39
S34 6	296347	form\$1 near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:25
S34 7	1157	S346 and (field\$1 and predetermin\$3 and overla\$4 and server\$1 and client\$1 and (web or html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:25
S34 8	655	S347 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S34 9	82	S348 and ((form\$1 or field\$1) near (fill\$3 or populat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:28
S35 0	2	S348 and ((web or html) near (form\$1 or field\$1) near (fill\$3 or populat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:29

EAST Search History

S35 1	24833	(form\$1 or field\$1) with (fill\$3 or populat\$3 or insert\$3) with (value\$1 or data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S35 2	17259	S351 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S35 3	304	(form\$1 or field\$1) with (pre adj (fill\$3 or populat\$3 or insert\$3)) with (value\$1 or data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S35 4	157	S353 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06
S35 5	33	S354 and ((imag\$3 or bitmap\$1 or graphic\$1 or audio\$1 or video\$1 or multimedia\$1) with (field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:41
S35 6	15	S354 and ((imag\$3 or bitmap\$1 or graphic\$1 or audio\$1 or video\$1 or multimedia\$1) with (form\$1 with field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:04
S35 7	4	S356 and (form\$1 with field\$1 with data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:05
S35 8	0	S356 and ((form\$1 with field\$1 with data\$1) with (URL\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06
S35 9	111	((form\$1 with field\$1 with data\$1) with (URL\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06
S36 0	114	((form\$1 with field\$1 with data\$1) with (URL\$1 or URI\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06

EAST Search History

S36 1	73	S360 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:07
S36 2	35	S361 and (external\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:08
S36 3	8	S361 and (external\$2 with (file\$1 or referenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:08
S36 4	38	(US-20040078756-\$ or US-20040205533-\$ or US-20020023108-\$ or US-20020111961-\$ or US-20020103826-\$ or US-20030023641-\$ or US-20010050681-\$ or US-20050216356-\$ or US-20050183003-\$ or US-20020059425-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20020156846-\$ or US-20020120714-\$ or US-20040205357-\$).did. or (US-6507865-\$ or US-5404294-\$ or US-4503499-\$ or US-5784562-\$ or US-6775670-\$ or US-5929849-\$ or US-6732331-\$ or US-6662340-\$ or US-6651217-\$ or US-6589290-\$ or US-6490601-\$ or US-6886136-\$ or US-6260039-\$ or US-6061694-\$ or US-6473892-\$ or US-6247029-\$ or US-5835712-\$ or US-5890175-\$ or US-6760748-\$ or US-6456303-\$ or US-6879965-\$ or US-6658662-\$ or US-5761683-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:17
S36 5	38	S364 and form\$1	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:18
S36 6	12	S364 and (determin\$3 or identify\$3 or recogniz\$3) with (URL\$1 or URI\$1 or (universal adj resource\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:27
S36 7	7	S366 and ((URL\$1 or URI\$1 or pointer\$1 or reference\$1) with (histor\$3 or bookmark\$1 or list\$3))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:24

EAST Search History

S36 8	7	S366 and ((URL\$1 or URI\$1 or pointer\$1 or reference\$1) with (histor\$3 or bookmark\$1 or list\$3)) and form\$1	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:26
S36 9	30	S364 and (form\$1 with (field\$1 or receptacle\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:38
S37 0	11	S369 and ((URL\$1 or URI\$1 or pointer\$1 or reference\$1) with (histor\$3 or bookmark\$1 or list\$3)) and form\$1	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:26
S37 1	5	S370 and (determin\$3 or identify\$3 or recogniz\$3) with (URL\$1 or URI\$1 or (universal adj resource\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:38
S37 2	2	S364 and (form\$1 with (field\$1 or receptacle\$1 or slot\$1) with ((recogniz\$3 or identify\$3) with content\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:33
S37 3	8	((form\$1 with (field\$1 or receptacle\$1 or slot\$1)) with ((recogniz\$3 or identify\$3) with content\$1) with (URL\$1 or URI\$1 or file\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:35
S37 4	73	((form\$1 with (field\$1 or receptacle\$1 or slot\$1)) with ((recogniz\$3 or identify\$3) with content\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:35
S37 5	5	S374 and (determin\$3 or identify\$3 or recogniz\$3) with (URL\$1 or URI\$1 or (universal adj resource\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:38
S37 6	332409	(form\$1 with (field\$1 or receptacle\$1 or input\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:39
S37 7	130122	(form\$1 near3 (field\$1 or receptacle\$1 or input\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:39
S37 8	73	(form\$1 near3 (field\$1 or receptacle\$1 or input\$1)) with ((URL\$1 or URI\$1 or file\$1) with (list\$1 or profil\$3))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:40
S37 9	52	S378 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:54
S38 0	18	S379 and ((populat\$3 or fill\$3) with form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:47

EAST Search History

S38 1	14	S380 and external\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:47
S38 2	5	S380 and (external\$2 with (file\$1 or list\$1 or profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:52
S38 3	88	S377 and ((recogniz\$3 or identify\$3) with (external with (file\$1 or profile\$1 or link\$1 or hyperlink\$1 or URL\$1 or URI\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:53
S38 4	63	S383 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:58
S38 5	1	(US-6490601-\$).did.	USPAT	OR	OFF	2006/05/16 08:58
S38 6	1	S385 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 09:35
S38 7	0	S385 and (profil\$3 with (URL\$1 or link\$1 or hyperlink\$1 or external\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:59
S38 8	2	("5586198").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 09:40
S38 9	2	("5586242").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 09:36
S39 0	2	("6490601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:27

EAST Search History

S39 1	30297	"information processor".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:28
S39 2	891	"information processor".ti. and ricoh.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:28
S39 3	1	S392 and typeface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:30
S39 4	2	("4670842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:30
S39 5	968485	(form\$1 with (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:42
S39 6	772422	S395 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:46
S39 7	4420	(form\$1 near (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1)) with (fill\$3 or populat\$3 or "filling in" or "filled in")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:43
S39 8	369	S397 and ((form\$1 near (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1)) with (type\$1 or style\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:46
S39 9	409	S397 and ((form\$1 near (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1 or data\$1)) with (type\$1 or style\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:46
S40 0	262	S399 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:08

EAST Search History

S40 1	16	S400 and ((recogniz\$3 or identify\$3 or locat\$3) with ((external\$2 or URL\$1 or URI\$1) with (file\$1 or data\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:06
S40 2	24678	((recogniz\$3 or identify\$3 or locat\$3) near (URL\$1 or (web adj address\$3) or (uni\$5 adj resource adj locat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 3	14858	S402 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 4	1033	S403 and ((web or html) adj form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 5	590	S404 and (fill\$3 or (fill\$3 adj (in or out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 6	26070	((recogniz\$3 or identify\$3 or locat\$3) near (URL\$1 or (web adj address\$3) or (uni\$6 adj resource adj locat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 7	15698	S406 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 8	1089	S407 and ((web or html) adj form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:12
S40 9	623	S408 and (fill\$3 or (fill\$3 adj (in or out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S41 0	295807	((form\$1 or field\$1 or slot\$1) with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:06

EAST Search History

S41 1	224229	S410 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:07
S41 2	6669	S411 and (automatic\$4 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:09
S41 3	25196	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:09
S41 4	200	S412 and S413	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:09
S41 5	191	S414 and (database\$1 or file\$1 or profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:10
S41 6	77	S412 and ((recogniz\$3 or identify\$3 or pars\$3) with (URL\$1 or URI\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:41
S41 7	2	("6460042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:47
S41 8	2	("6662340").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:59
S41 9	10	US-5790785-\$.DID. OR US-6199079-\$.DID. OR US-6496855-\$.DID. OR US-6327707-\$.DID. OR US-6151707-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:04
S42 0	123	(url\$1 near3 (form\$1 near3 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:05

EAST Search History

S42 1	75	S420 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:27
S42 2	4077	(replac\$3 or substitut\$3) with (field\$1 or data\$1) with content\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:27
S42 3	2993	S422 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:40
S42 4	23	S423 and ((replac\$3 or substitut\$3) with (URL\$1) with content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:39
S42 5	269	(profile\$1 near3 URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:39
S42 6	166	S425 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:40
S42 7	147	S426 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:41
S42 8	49	S426 and (form\$1 with (field\$1 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:13
S42 9	62585	kodak.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:22
S43 0	210	kodak.as. and (upload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:22

EAST Search History

S43 1	155	S430 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:32
S43 2	19	S431 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:25
S43 3	0	S431 and profil\$3 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:25
S43 4	27	S431 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:28
S43 5	0	S431 and (form\$1 with fill\$3) and (log adj (in\$1 or on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:28
S43 6	18	S431 and ((form\$1 with fill\$3) and ((log adj (in\$1 or on)) or regist\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:30
S43 7	18	S431 and ((form\$1 with fill\$3) and ((log adj (in\$1 or on)) or regist\$7)) and (web or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:31
S43 8	1072	((form\$1 with fill\$3) and ((log adj (in\$1 or on)) or regist\$7)) and (web or html) and (upload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:31
S43 9	586	S438 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:42
S44 0	32	S439 and (upload\$3 with URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:42

EAST Search History

S44 1	11305	(post\$3 with content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:42
S44 2	7686	S441 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
S44 3	204	S442 and (form\$1 with (fill\$3 adj (in or out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:54
S44 4	101	(form\$1 with field\$1 with (value\$1 or content\$1)) with URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
S44 5	64	S444 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
S44 6	17696	(content\$1) near (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:16
S44 7	387	form\$1 with ((content\$1) near (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:16
S44 8	2	(form\$1 adj3 field\$1) with ((content\$1) near (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:19
S44 9	9	(form\$1 adj3 field\$1) with ((content\$1) near3 (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:33
S45 0	23	(referenc\$3 with (external\$2 with (file\$1 or data\$1 or content\$1))) with (form\$1) with (URL\$1 or href\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:36

EAST Search History

S45 1	23	(referenc\$3 with (external\$2 with (file\$1 or data\$1 or content\$1))) with (form\$1) with (URL\$1 or href\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 14:56
S45 2	3703	(replac\$3 or substitut\$3) with (URL\$1 or href\$1 or hyperlink\$3 or link\$3) with (content\$1 or data\$1 or imag\$3 or audio\$1 or video\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 14:57
S45 4	891	S452 and (form\$1 with (field\$1 or value\$1 or input\$1 or blank\$1 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:03
S45 5	638	S454 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S45 6	89	S452 and (((html or web) with form\$1) with (field\$1 or value\$1 or input\$1 or blank\$1 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:42
S45 7	2	S456 and ((pre adj (populat\$3 or fill\$3 or insert\$3)) with (form\$1 or field\$1 or blank\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:46
S45 8	3	S455 and ((pre adj (populat\$3 or fill\$3 or insert\$3)) with (form\$1 or field\$1 or blank\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S45 9	1847	((pre adj (populat\$3 or fill\$3 or insert\$3)) with (form\$1 or field\$1 or blank\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S46 0	1003	S459 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:51
S46 1	50	(url\$1 near (form\$1 adj4 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:51

EAST Search History

S46 2	33	S461 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:22
S46 3	2	("6851087").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:22
S46 4	9	("5745360" "5884309" "5898838" "5940075" "5953731" "5973696" "6199079" "6202072" "6457009").PN. OR ("6851087"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:23
S46 5	78	(portal\$1 near profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:15
S46 6	49	S465 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:17
S46 7	77	(URL\$1 near profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:17
S46 8	52	S467 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:49
S46 9	20	(US-20040205357-\$ or US-20040078756-\$ or US-20040205533-\$ or US-20030023641-\$ or US-20050216356-\$ or US-20050183003-\$ or US-20040030991-\$).did. or (US-5761683-\$ or US-6192382-\$ or US-6460042-\$ or US-5404294-\$ or US-4503499-\$ or US-6775670-\$ or US-6247047-\$ or US-6662340-\$ or US-6507865-\$ or US-6473892-\$ or US-6658662-\$ or US-6484263-\$ or US-7035907-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/26 08:28

EAST Search History

S47 0	3456	(electronic\$4 near (newspaper\$1 or publication\$1 or magazine\$1 or portal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:49
S47 1	2521	S470 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:19
S47 2	2	("6460042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:13
S47 3	1	S472 and import\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:14
S47 4	0	S472 and (external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:14
S47 5	1	S472 and (URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:15
S47 6	1065	(profile\$1 or template\$1) with (contain\$3) with (URL\$1 or (external\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:16
S47 7	0	(form\$1 near field\$1 near value\$1) near URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:17
S47 8	1	(form\$1 near value\$1) near URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:17
S47 9	704	S476 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:37

EAST Search History

S48 0	3933	pre-fetch\$3 or (pre adj fetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:38
S48 1	102	(pre-fetch\$3 or (pre adj fetch\$3)) with form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:38
S48 2	3129	(execut\$3 with URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:39
S48 3	2	S481 and S482	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:01
S48 4	2446	(dynamic\$4 or variable) with (html or web) with (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:03
S48 5	405	S484 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:04
S48 6	2446	(dynamic\$4 or variable) with (html or web) with (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:46
S48 7	405	S486 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:46
S48 8	137	S487 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:47

EAST Search History

S48 9	21	(US-20040205357-\$ or US-20040078756-\$ or US-20040205533-\$ or US-20030023641-\$ or US-20050216356-\$ or US-20050183003-\$ or US-20040030991-\$ or US-20030169292-\$).did. or (US-5761683-\$ or US-6192382-\$ or US-6460042-\$ or US-5404294-\$ or US-4503499-\$ or US-6775670-\$ or US-6247047-\$ or US-6662340-\$ or US-6507865-\$ or US-6473892-\$ or US-6658662-\$ or US-6484263-\$ or US-7035907-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/26 11:47
S49 0	7	S489 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:48
S49 1	6	S490 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
S49 2	3178	(715/513,507,505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:16
S49 3	6448	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:16
S49 4	0	(713/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
S49 5	0	(715/560).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
S49 6	5810	(707/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26

EAST Search History

S49 7	354	(715/760).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
S49 8	14521	S492 S493 S496 S497	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
S49 9	10934	S498 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
S50 0	595	S499 and (form\$1 near3 fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
S50 1	12	S500 and (pre adj (populat\$3 or fetch\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
S50 2	2	("4,698,672").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:11
S50 3	41	forgent.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:11
S50 4	32	forgent.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:13
S50 5	172	Compression.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:13
S50 6	667406	Compression labs.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:13

EAST Search History

S50 7	28	(compression adj labs).as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:13
S50 8	35918	(input or (fill\$3 adj (in\$1 or out\$1)) or overlay\$3) near form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:43
S50 9	53893	(input or (fill\$3 adj (in\$1 or out\$1)) or overlay\$3 or html) near (form\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:44
S51 0	10777	((fill\$3 adj (in\$1 or out\$1)) or overlay\$3 or html) near (form\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:44
S51 1	242	S510 and ((cut\$4 or copy\$3 or past\$3 or overla\$4) with (url\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:46
S51 2	20	S510 and ((overla\$4) with (url\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:48
S51 3	8	S512 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:55
S51 4	2184	(URL\$1 or filename\$1 or director\$3) near field\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:50
S51 5	120479	form\$1 near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:10
S51 6	56	(html near form\$1) near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:51

EAST Search History

S51 7	274	((html or web) near form\$1) near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:51
S51 8	0	((html or web) near form\$1) near process\$3 near (reference\$1 or hyperlink\$3 or link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:52
S51 9	299	form\$1 near field\$1 near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:52
S52 0	0	(form\$1 near field\$1 near process\$3) with (URL\$1 or (resource adj locator\$1) or URI\$1 or director\$3 or path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:53
S52 1	0	(form\$1 near field\$1 near process\$3) with (URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:53
S52 2	54	(form\$1 near process\$3) with (URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 13:53
S52 3	30	S522 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:10
S52 4	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:08
S52 5	1	S524 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:09
S52 6	1	S524 and pre-fill\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:09

EAST Search History

S52 7	63	(form\$1 with field\$1) near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:20
S52 8	41	S527 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:22
S52 9	19072	(field\$1) near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:20
S53 0	151	((input or fill\$3 adj (in\$1 or out\$1)) near (field\$1)) near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 14:21
S53 1	96	S530 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 15:10
S53 2	2	("6981212").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 15:10
S53 3	37266	((image\$1 or photograph\$1 or picture\$1) near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 10:49
S53 4	488	((image\$1 or photograph\$1 or picture\$1) near (form\$1 adj2 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 10:53
S53 5	375	S534 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 10:54
S53 6	506	((image\$1 or photograph\$1 or picture\$1 or icon\$1 or graphic\$1) near (form\$1 adj2 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 10:54

EAST Search History

S53 7	388	S536 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 10:56
S53 8	4	((image\$1 or photograph\$1 or picture\$1 or icon\$1 or graphic\$1) near (form\$1 adj2 field\$1)) near (filepath\$1 or path\$1 director\$3 or url\$1 or hyperlink\$3 or link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 10:56
S53 9	412	(overlay\$3) near (filepath\$1 or path\$1 director\$3 or url\$1 or hyperlink\$3 or link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:04
S54 0	250	S539 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:05
S54 1	1831	(populat\$4) near form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:04
S54 2	923	S541 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:06
S54 3	608	(process\$3 near (form\$1 near (field\$1 or input\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:06
S54 4	442	S543 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:11
S54 5	2	("5,060,980").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 11:11
S54 6	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:40

EAST Search History

S54 7	9609	(pre adj2 (fill\$3 or populat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:40
S54 8	1751	(pre adj2 (fill\$3 or populat\$3)) and (web or html or www)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:41
S54 9	1744	(pre adj2 (fill\$3 or populat\$3)) and (web or html or www) and (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:41
S55 0	1656	(pre adj2 (fill\$3 or populat\$3)) and (web or html or www) and (field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:41
S55 1	1601	(pre adj2 (fill\$3 or populat\$3)) and (web or html or www) and (field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:41
S55 2	183	S550 and (pre adj2 (fill\$3 or populat\$3)) near (field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:42
S55 3	183	S550 and ((pre adj2 (fill\$3 or populat\$3)) near (field\$1) and (html or web or www))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:54
S55 4	79	S553 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:54
S55 5	183	S550 and ((pre adj (fill\$3 or populat\$3)) near (field\$1) and (html or web or www))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:55
S55 6	79	S555 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:55

EAST Search History

S55 7	184	S550 and ((pre near (fill\$3 or populat\$3)) near (field\$1) and (html or web or www))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:56
S55 8	80	S557 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:59
S55 9	184	S550 and ((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1) and (html or web or www))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:58
S56 0	151	S550 and ((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1) and (html or web or www) and (imag\$3 or icon\$1 or external\$2 or photograph\$1 or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:02
S56 1	65	S560 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:02
S56 2	132	S550 and ((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1) and (html or web or www) and (icon\$1 or external\$2 or photograph\$1 or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:10
S56 3	57	S562 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:11
S56 4	7	S550 and ((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1) with (icon\$1 or external\$2 or photograph\$1 or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:11
S56 5	8	((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1)) with (icon\$1 or external\$2 or photograph\$1 or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:12
S56 6	3	S565 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:12

EAST Search History

S56 7	1	((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1)) with (icon\$1 or photograph\$1 or picture\$1 or thumbnail\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:13
S56 8	6	((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1)) with (icon\$1 or photograph\$1 or picture\$1 or thumbnail\$1 or url\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:14
S56 9	6	((pre near (fill\$3 or populat\$3 or load\$3)) near (field\$1)) with (icon\$1 or photograph\$1 or picture\$1 or thumbnail\$1 or url\$1 or (hyperlink\$1 or link\$1 with content\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 16:15

B 12/6/06